



Digi TX40 5G

Intelligent 5G wireless communications hub for public safety and fleet vehicles

An affordable, purpose-built transportation router for public safety and emergency vehicle fleets, **Digi TX40** breaks down communication silos and seamlessly connects all in-vehicle devices into a fast and reliable vehicle area network (VAN). It enables you to transform your fleet with the latest-generation wireless technology — easy to deploy and centrally managed via **Digi Remote Manager®** (Digi RM), which is included in your **Digi 360** solution. (See page 2.)

Digi TX40 is available in 5G and 4G LTE-Advanced Pro with 3G fallback models that are **FirstNet Trusted™** and support **Verizon Frontline** and **T-Mobile Connecting Heroes** to meet the critical demands of first responders for emergency communications.

High-resolution, real-time video provides the critical element of situational awareness for dispatchers, command staff and officers on the scene of a public safety incident. Digi TX40 with 5G and Wi-Fi 6 transfers critical information faster, further and more reliably.

Advanced Connectivity and Security for Public Safety

Digi TX40 connects vehicle equipment such as dash cameras, body cameras, license-plate readers, eTicket systems, and mobile data computers over Gigabit Ethernet, Wi-Fi 6, USB 3.0, and serial interfaces. And the latest dedicated multi-constellation GNSS receiver with Untethered Dead Reckoning (UDR) ensures that Dispatch knows the exact vehicle location.

Digi TX40 is ITxPT-compliant to ensure interoperability and seamless integration with other vehicle systems for sharing connectivity, location and time, information and services — reducing complexity, points of failure and cost.


Cybersecurity is critical in today's communication systems, and vehicle area networks are no different. Digi TX40 meets the U.S. government cybersecurity **FIPS 140-2** standard and supports the **Digi TrustFence®** security framework to ensure it is secure on day one and stays secure throughout its life.

Digi TX40 is part of the **Digi SAFE™** solution, which enables IT staff to securely traverse multiple, independent networks simultaneously within one mobile VPN connection (and optional **Digi Mobile VPN** value-added service), assuring secure uninterrupted sessions with deployed devices in the field. Highly resilient application and session persistence with mobile encryption ensures constant, secure connectivity, and keeps officers and citizens safer, while minimizing response times.

Key features, benefits and applications

- Wireless communications hub with 5G and Wi-Fi 6 for next generation public safety connectivity
- ITxPT-certified for interoperability and seamless integration with other vehicle systems
- Meets U.S. government **FIPS 140-2** cybersecurity standard
- **FirstNet Trusted™**, **Verizon Frontline** and **T-Mobile Connecting Heroes** support for primary responders
- Integrated with the **Digi TrustFence** security framework
- Includes the **Digi 360** solution with warranty, customer care and **Digi Remote Manager** cloud management, enabling you to easily deploy, mass configure and maintain in-vehicle devices
- **Digi SAFE** solution for emergency vehicle connectivity
- Value-added services include **Digi Containers**, **Digi WAN Bonding** 5G/LTE WAN aggregation with immediate failover and **Digi Mobile VPN** for secure, persistent mobile connectivity


Application example



DIGI TX40 5G WITH DIGI 360


Digi 360

Digi 360 offers comprehensive IoT packaged solutions, including purpose-built devices, software and services to help customers optimize their IoT investments and maximize ROI. These solutions are designed to simplify IoT complexity, and ease the challenges enterprises face in configuring, deploying and managing their IoT initiatives. Your Digi 360 subscription is included with the purchase of **Digi TX40 5G**, complete with Digi Remote Manager, warranty and customer care. [Learn more at **digi.com/digi360**](https://www.digi.com/digi360).



Value-Added Services

Digi Containers



Digi Remote Manager enables deployment of custom applications via containers

Digi Containers simplify and centralize the process of building, deploying and running custom applications on devices managed with **Digi Remote Manager** as the central portal. Containers with custom programs or Python applications can be loaded via Digi RM on any device running the **Digi Accelerated Linux** operating system (DAL OS).

As an add-on service to Digi Remote Manager, Digi Containers are a powerful capability implemented via Lightweight Linux Containers (LXC). LXC tools enable developers to package up a custom application, with its dependencies and configuration, into a lightweight, portable bundle that shares only the running kernel with the host device.

Digi WAN Bonding



Resilient connectivity and maximum performance across multiple connections

Digi WAN Bonding combines multiple connections into a seamless and resilient connectivity solution that ensures optimal performance and maximum uptime anywhere around the world.

Digi devices provide a range of connectivity options including cellular failover with features such as **Digi SureLink**, policy-based routing and interface bonding. These features are excellent at preventing any external network failures from causing downtime.

Digi Mobile VPN



Secure VPN service with persistent connectivity for critical communications

Digi Mobile VPN enables users to create a secure connection between their data centers and the Digi router, including connected (wired or wireless) edge devices. Digi Mobile VPN offers persistent, secure connectivity, utilizing **Digi Remote Manager** as the central portal for orchestrating the mobile VPN setup and deployment.

This functionality is particularly important for public sector, emergency response and mass transit applications that require secure and reliable connections in first responder vehicles, buses, trains and paratransit vans.

*Digi Containers, Digi WAN Bonding and Digi Mobile VPN are available as value-added services with Digi Remote Manager.

DIGI TX40 5G WITH DIGI 360

Digi 360 Management and Security

Digi Accelerated Linux (DAL OS)

DAL OS is Digi's standard operating system integrated into Digi **Enterprise (EX)**, **Industrial (IX)** and **Transportation (TX)** routers, **console servers** and **USB-connected devices**. Developed for speed and simplicity, DAL OS enables advanced capabilities that support today's demanding applications. [Learn more at digi.com/DAL](https://www.digi.com/DAL).

Digi Remote Manager (Digi RM)

Digi Remote Manager is a proven technology platform that brings networks to the next level, empowering networks — and the people who manage them — to work smarter. Digi RM transforms a multitude of dispersed IoT devices into a dynamic, intelligent network. It's easy to deploy, monitor and diagnose thousands of mission-critical devices from a single point of command on a desktop, tablet or phone. All the while, software-defined security diligently safeguards your entire Digi ecosystem. [Learn more at digi.com/digi-remote-manager](https://www.digi.com/digi-remote-manager).

Digi RM infrastructure and security

- Hosted in a commercial-grade cloud server environment that meets SOC 1°, SOC 2° and SOC 3° standards
- Superior availability, operating at 99.9% or greater uptime
- Open APIs are available to support application development
- Comprehensive security controls to protect your data
- Member of the Center for Internet Security® (CIS°)
- Enables compliance with security frameworks like ISO27002, HIPAA, NIST and more
- Earned Skyhigh's CloudTrust™ Program highest rating of Enterprise-Ready

Digi TrustFence

The Digi TrustFence device security framework simplifies the process of securing multiple connected devices.



Designed for mission-critical applications, **Digi TrustFence** enables users to easily integrate device security, device identity, and data privacy capabilities into product design.

Digi TrustFence security for IoT devices is designed to grow and adapt with new and evolving threats.

[Learn more at digi.com/trustfence](https://www.digi.com/trustfence).



DAL OS and Digi RM capabilities

- **DAL OS with Digi Remote Manager:** Remote console access, configuration templates, HTTP proxy, device event logs, configurable maintenance window
- **Serial:** Modbus, serial-over-TCP/UDP
- **Customization:** Python 3, Python pip, PyCharm integration, shell scripting, containers, MQTT client
- **Troubleshooting:** iPerf and nttcp bandwidth testing, Find Me tool
- **GNSS:** NMEA/TAIP location forwarding to servers, geo-fencing
- Activate, monitor and diagnose your mission-critical devices through a single portal
- Schedule key operations — including firmware updates and file management — on a single device or on a group of devices, keeping your network functionality up-to-date and maintaining compliance standards
- Manage edge devices out-of-band via console terminal access
- Monitor equipment health and connectivity across deployments
- Create detailed reports and real-time alerts for specified conditions
- Integrate device data through open APIs to gain deeper insights and control with third-party applications
- Report and alert on performance statistics, including connection history, signal quality, latency, data usage and packet loss

Built-in Security. Delivered.

- **Secure boot:** Programs and code running on the device are validated to be from an approved source or manufacturer
- **Protected hardware ports:** Internal and external I/O ports are hardened and access-controlled to prevent unwanted intrusion
- **Authentication:** Data authentication and device identity management options, with updated user and password settings
- **Secure connections:** Latest encryption protocols for data in motion and over-the-air (OTA) transmissions to ensure integrity
- **Ongoing monitoring and support:** Ongoing threat measurement and monitoring services, with external security audits

Specifications



Manage and configure Digi TX40 5G with Digi Remote Manager

SPECIFICATIONS

DIGI TX40 5G WITH DIGI 360*

WIRELESS INTERFACES

CELLULAR / WWAN

TX40-A500: 5G NSA, 5G SA**, 4G LTE-ADVANCED PRO	5G NR bands: n1, n2, n3, n5, n7, n8, n12, n13, n14, n18, n20, n25, n26, n28, n29, n30, n38, n40, n41, n48 CBRS, n66, n71, n75, n76, n77, n78, n79, C-band 4G LTE-Advanced Pro bands: B1, B2, B3, B4, B5, B7, B8, B12, B13, B14 FirstNet®, B17, B20, B25, B26, B28, B29, B30, B32, B38, B40, B41, B42, B43, B46 LAA, B48 CBRS, B66, B71 3G bands: B1, B2, B3, B4, B5, B6, B8, B19
TX40-A400: 4G LTE-ADVANCED PRO, 3G HSPA+	4G LTE-Advanced Pro bands: B1, B2, B3, B4, B7, B8, B12, B13, B14 FirstNet®, B17, B18, B19, B20, B25, B26, B28, B29, B30, B38, B39, B40, B41, B42, B43, B48 CBRS, B66, B71 3G bands: B1, B2, B4, B5, B8, B9, B19
CONNECTORS	(2) or (4) FAKRA Code D (burgundy)
SIM SLOTS	(2) Nano-SIM (4FF)
SIM SECURITY	SIM slot cover plate included

WI-FI

TECHNOLOGY	Wi-Fi 6 (802.11ax) dual-band (2.4 GHz and 5 GHz) concurrent 2 x 2 MIMO operation; backward compatible with Wi-Fi 5 (802.11ac) and Wi-Fi 4 (802.11n)
SECURITY	WPA, WPA2 and WPA3 Personal and Enterprise, Open and Open Enhanced security standards
HOTSPOT	Captive portal with customizable splash page, terms and conditions, shared password, user-specific password, RADIUS authentication
THIRD-PARTY SERVICES	Content filtering, embedded advertising
MODES	Simultaneous client and access point support
CONNECTORS	(2) FAKRA Code I (beige)

BLUETOOTH

TECHNOLOGY	Bluetooth 5.2
-------------------	---------------

GNSS

TECHNOLOGY	GPS, Galileo, BeiDou and GLONASS with Untethered Dead Reckoning (UDR), multiple geofence support
SENSITIVITY	Tracking and navigation: -160 dBm
PROTOCOL	NMEA 4.11 and TAIP
CONNECTOR	(1) FAKRA Code C (blue)

WIRED INTERFACES

ETHERNET

PORTS / CONNECTOR	(2) RJ-45; 10/100/1000 Mbps Base-T (auto-sensing); IEEE 802.3; configurable as WAN or LAN
--------------------------	---

SERIAL

PORTS / CONNECTOR	(1) RS-232; DB-9 male (DTE)
--------------------------	-----------------------------

USB

PORTS / CONNECTOR	(1) USB 3.0 Type A; 5 VDC 1 A max
--------------------------	-----------------------------------

*Includes the Digi 360 solution for Digi TX40 (1-year) with Digi Remote Manager, warranty and customer care.

**Contact your network operator regarding 5G SA support on their network. Digi TX40-A500 supports up to 2xCC (2x 5G SA Carrier Components).

DIGI TX40 5G WITH DIGI 360

Specifications and Warranty



Manage and configure Digi TX40 5G
with Digi Remote Manager

SPECIFICATIONS		DIGI TX40 5G WITH DIGI 360*
SOFTWARE AND MANAGEMENT*		
REMOTE MANAGEMENT		Digi Remote Manager (cloud based); SNMP v2c/v3 (user installed/managed), SMS
LOCAL MANAGEMENT		Web UI (HTTPS); CLI (SSH, serial)
MANAGEMENT TOOLS		SFTP, SCP; protocol analyzer with PCAP for Wireshark; event logging with Syslog
MEMORY		
RAM / FLASH		1 GB / 8 GB
PHYSICAL		
DIMENSIONS		198 x 138 x 44 mm (7.78 x 5.54 x 1.73 in)
WEIGHT		1 kg (2.2 lb)
STATUS LEDS		Power, GNSS, Wi-Fi, WWAN, Ethernet (link, activity)
ENCLOSURE / RATING		Aluminum / IP64
POWER REQUIREMENTS		
POWER INPUT		7 – 36 VDC, ignition sense, reverse polarity protection
POWER CONNECTOR		Screw down removable terminal block
POWER CONSUMPTION		8 W typical (idle); 15 W (peak RF Tx/Rx)
ENVIRONMENTAL		
OPERATING TEMPERATURE		–34 °C to 74 °C (–29 °F to 165 °F)
STORAGE TEMPERATURE		–40 °C to 85 °C (–40 °F to 185 °F)
RELATIVE HUMIDITY		0% to 95% (non-condensing) at 25 °C (77 °F)
APPROVALS**		
CELLULAR		PTCRB, AT&T, FirstNet Trusted™, T-Mobile, T-Mobile Connecting Heroes, Verizon, Verizon Frontline
SAFETY		IEC 62368-1, CB scheme
INTEROPERABILITY		ITxPT
VEHICLE		E-Mark (UNECE Reg. 10)
EMISSIONS / IMMUNITY		CE, FCC Part 15 Subpart B with IC, UKCA
ENVIRONMENTAL		MIL-STD-810H (high and low temperature, vibration, shock)
WARRANTY***		
PRODUCT WARRANTY		1-year

*Includes the Digi 360 solution for Digi TX40 (1-year) with Digi Remote Manager, warranty and customer care.

**Visit digi.com/resources/certifications for latest certifications and updates.

***Product warranty can be extended with Digi 360 extensions or renewals.

DIGI TX40 5G WITH DIGI 360

Specifications and Technologies



Manage and configure Digi TX40 5G
with Digi Remote Manager

ENTERPRISE SOFTWARE	DESCRIPTION
PROTOCOL SUPPORT	HTTPS, TLS, SCP (client and server), SFTP, SNMP (v2c/v3), SSH, Telnet and CLI for web management; remote management via Digi Remote Manager ; protocol analyzer, ability to capture PCAP for use with Wireshark; DynDNS, Dynamic DNS client compatible with No-IP/DynDNS; Captive portal, Intelliflow; Nagios, DNS server, NTP server, Multicast, mDNS, IPerf
SECURITY / VPN	IP filtering, stateful inspection firewall with scripting, address and port translation; VPN: IPSec with IKEv1, IKEv2, NAT Traversal, DMVPN; SSLv3, FIPS 197, Open VPN client and server; L2TP; VPN tunnels; cryptology: SHA-1, MD5, RSA; encryption: DES, 3DES and AES up to 256-bit (CBC mode for IPsec); authentication: RADIUS, TACACS+, SCEP for X.509; certificates; content filtering (via 3rd party); MAC address filtering; VLAN support
ROUTING	IP pass-through; NAT, NATP with IP port forwarding; Ethernet bridging; GRE; multicast routing; routing protocols: PPP, PPPoE, RIP (v1, v2) OSPF, BGP, iGMP routing (multicast); IP failover: VRRP, VRRP+TM; automatic failover/failback to second GSM network/standby APN; Digi SureLink
EMISSIONS / IMMUNITY	DHCP; Dynamic DNS client compatible with No-IP/DynDNS; QoS via TOS/DSCP; Modbus UDP/TCP to serial; Modbus bridging for connecting diverse field assets

*For a comprehensive list of operating system features, please visit digi.com/solutions/by-technology/dal-operating-system/features.

Featured Technologies



*FirstNet® and FirstNet Ready™ are registered trademarks and service marks of the First Responder Network Authority. All other trademarks are property of their respective owners.

DIGI TX40 5G WITH DIGI 360

Product Photos

Digi TX40 5G



Digi TX40 5G — front



Digi TX40 5G — back




Digi TX40 5G — front with SIM cover



Digi TX40 5G — top



Digi TX40 5G — bottom



DIGI TX40 5G WITH DIGI 360

Part Numbers

PART NUMBERS	DIGI TX40 WITH DIGI 360*
TX40-A500	Digi TX40 — 5G and 4G LTE-Advanced Pro, dual Ethernet, Wi-Fi 6, USB, RS-232, GNSS
TX40-A400	Digi TX40 — 4G LTE-Advanced Pro Cat 12 with 3G fallback, dual Ethernet, Wi-Fi 6, USB, RS-232, GNSS

*Includes the [Digi 360](#) solution for [Digi TX40](#) (1-year) with [Digi Remote Manager](#), [warranty](#) and [customer care](#).

PART NUMBERS	AVAILABLE ACCESSORIES**
76002136	Digi TX40 5G Accessory Kit — Extended temperature power supply, 5G/GNSS antenna, Wi-Fi antenna, Cat 5e Ethernet cable
76002137	Digi TX40 4G Accessory Kit — Extended temperature power supply, 4G/GNSS antenna, Wi-Fi antenna, Cat 5e Ethernet cable
76002138	Digi TX40 ITxPT Kit — Power connector adaptor, (2) M12/RJ-45 Cat 5e Ethernet cables
76002121	Power supply — 100 - 240 VAC, 1.5 A input, 12 VDC, 5 A output, extended temperature range

**Sold separately, unless otherwise noted.

PART NUMBERS	DIGI 360 EXTENSIONS AND RENEWALS
DIGI360-TX40-EXT-2YR	Digi 360 extension for two additional years for Digi TX40
DIGI360-TX40-EXT-4YR	Digi 360 extension for four additional years for Digi TX40
DIGI360-TX40-REN-1YR	Digi 360 renewal for one additional year for Digi TX40
DIGI360-TX40-REN-3YR	Digi 360 renewal for three additional years for Digi TX40
DIGI360-TX40-REN-5YR	Digi 360 renewal for five additional years for Digi TX40

PART NUMBERS	VALUE-ADDED SERVICES
DIGI-RM-PRM-CS	Digi Containers subscription — 1-year subscription
DIGI-SRV-WB-TIER1-1YR	Digi WAN Bonding subscription with 100 Mbps max throughput — 1-year subscription
DIGI-SRV-WB-TIER2-1YR	Digi WAN Bonding subscription with 200 Mbps max throughput — 1-year subscription
DIGI-SRV-WB-TIER3-1YR	Digi WAN Bonding subscription with 1 Gbps max throughput — 1-year subscription
DIGI-SRV-MVPN-TIER1-INSTALL	Digi Mobile VPN installation, less than 500 routers (one-time fee, installation for subscriptions up to 500 routers)
DIGI-SRV-MVPN-PR-TIER1-1YR	Digi Mobile VPN subscription (Primary Responder), less than 500 routers — 1-year subscription
DIGI-SRV-MVPN-TIER1-1YR	Digi Mobile VPN subscription, less than 500 routers — 1-year subscription

For more information, visit digi.com.



For more information about Digi TX40 5G,
visit digi.com/tx40-5g.

877-912-3444 | 952-912-3444

