

Digi Connect IT 4

Out-of-band management of network and server equipment

Digi Connect[•] **IT 4** remote console access server ensures continuous network uptime to all your remote locations by functioning as an always-on cellular out-of-band (OOB) gateway for branch offices, retail stores, kiosks and other sites, even when the primary network is down — easy to deploy and centrally managed via **Digi Remote Manager**[•] (Digi RM), which is included in your **Digi 360** solution. (See page 2.)

You can maximize WAN resilience with failover to 4G LTE networks, while built-in multicarrier capabilities lets you instantly switch to the carrier of choice. Pair Digi Connect IT 4 with a dedicated wire line connection to ensure dual ISP connectivity, maximum uptime and complete business continuity for organizations that demand uninterrupted network access and availability.

For enterprises that need serial access for remote equipment monitoring, Digi Connect IT 4 offers the most complete and secure cellular-based solution in the industry. Digi Connect IT 4 allows identification and remediation of issues at the network edge before they can become a work order or fail.

Digi TrustFence[®], a suite of hardware and firmware security features, ensures the integrity of Digi Connect IT 4 safeguards. Gain critical insights into your deployed devices and manage your network with Digi RM — the command center for your deployment.

Digi RM is a cloud-based solution that facilitates easy setup, mass configuration, maintenance and support for hundreds or even thousands of remote Digi devices. Digi RM lets you evaluate, update and configure your Digi enterprise products — and the health of your network — at scale after deployment. Digi RM and Digi Connect IT 4 provide easy setup, configuration, security management and serial port monitoring of large installations of remote Digi devices.

Related Digi enterprise router solutions









Digi Connect IT Mini

Digi Connect IT 16/48


Digi CORE plug-in LTE modem Digi Remote Manager

Key features, benefits and applications

- Advanced modem management software
- Out-of-band (OOB) management and recovery using secure SMS, advanced modem management software, and early detection and remediation of issues

* ***** *** CCX — XXML — XM

- Add instant business continuity to any location with primary or backup LTE connectivity
- Protect your business and brand with a simple solution to avoid network disruptions and outages
- Modular cellular support allows "right-sizing" cellular speeds and costs
- Operates independently from in-band network
- Includes the **Digi 360** solution with warranty, customer care and **Digi Remote Manager** cloud management, enabling easy setup, mass configuration and management
- Value-added services include **Digi Containers** to enable powerful, cost-efficient applications



DIGI

DIGI CONNECT IT 4 WITH DIGI 360

Digi 360

Digi 360 offers comprehensive IoT packaged solutions, including purpose-built devices, software and services to help customers optimize their IoT investments and maximize ROI. These solutions are designed to simplify IoT complexity, and ease the challenges enterprises face in configuring, deploying and managing their IoT initiatives. Your Digi 360 subscription is included with the purchase of **Digi Connect IT 4**, complete with Digi Remote Manager, warranty and customer care. **Learn more at digi.com/digi360**.



Management

Digi Remote Manager^{*}, our network orchestration platform, provides complete visibility and control, with configuration, remote monitoring, automation, security and OTA software update capabilities.



Device

High-performanace, purpose-built Digi devices, with integrated software, designed to meet the requirements of a wide range of enterprise, industrial, medical and transportation use cases.



Customer Care

The support plan provides 24 x 7 x 365 tier 1 support with 4-hour SLA for device and network troubleshooting to ensure customers can resolve issues quickly.



Warranty

Device warranty covering the full length of the Digi 360 subscription, to help customers maximize their technology investment while limiting risk.

Value-Added Services

Digi Containers



Digi Remote Manager enables deployment of custom applications via containers

Digi Containers simplify and centralize the process of building, deploying and running custom applications on devices managed with **Digi Remote Manager** as the central portal. Containers with custom programs or Python applications can be loaded via Digi RM on any device running the **Digi Accelerated Linux** operating system (DAL OS).

As an add-on service to Digi Remote Manager, Digi Containers are a powerful capability implemented via Lightweight Linux Containers (LXC). LXC tools enable developers to package up a custom application, with its dependencies and configuration, into a lightweight, portable bundle that shares only the running kernel with the host device.



Digi 360 Management and Security

Digi Accelerated Linux (DAL OS)

DAL OS is Digi's standard operating system integrated into Digi Enterprise (EX), Industrial (IX) and Transportation (TX) routers, console servers and USB-connected devices. Developed for speed and simplicity, DAL OS enables advanced capabilities that support today's demanding applications. Learn more at digi.com/DAL.

Digi Remote Manager (Digi RM)

Digi Remote Manager is a proven technology platform that brings networks to the next level, empowering networks — and the people who manage them — to work smarter. Digi RM transforms a multitude of dispersed IoT devices into a dynamic, intelligent network. It's easy to deploy, monitor and diagnose thousands of mission-critical devices from a single point of command on a desktop, tablet or phone. All the while, software-defined security diligently safeguards your entire Digi ecosystem. Learn more at digi.com/digi-remote-manager.

Digi RM infrastructure and security

- Hosted in a commercial-grade cloud server environment that meets SOC 1°, SOC 2° and SOC 3° standards
- Superior availability, operating at 99.9% or greater uptime
- Open APIs are available to support application development
- Comprehensive security controls to protect your data
- Member of the Center for Internet Security $^{\circ}$ (CIS $^{\circ})$
- Enables compliance with security frameworks like ISO27002, HIPAA, NIST and more
- Earned Skyhigh's CloudTrust[™] Program highest rating of Enterprise-Ready

Digi TrustFence

The Digi TrustFence device security framework simplifies the process of securing multiple connected devices.



Designed for mission-critical applications, **Digi TrustFence** enables users to easily integrate device security, device identity, and data privacy capabilities into product design.

Digi TrustFence security for IoT devices is designed to grow and adapt with new and evolving threats.

Learn more at digi.com/trustfence.



DAL OS and Digi RM capabilities

- DAL OS with Digi Remote Manager: Remote console access, configuration templates, HTTP proxy, device event logs, configurable maintenance window
- Serial: Modbus, serial-over-TCP/UDP
- **Customization:** Python 3, Python pip, PyCharm integration, shell scripting, containers, MQTT client
- Troubleshooting: iPerf and nuttcp bandwidth testing, Find Me tool
- GNSS: NMEA/TAIP location forwarding to servers, geo-fencing
- Activate, monitor and diagnose your mission-critical devices through a single portal
- Schedule key operations including firmware updates and file management — on a single device or on a group of devices, keeping your network functionality up-to-date and maintaining compliance standards
- Manage edge devices out-of-band via console terminal access
- Monitor equipment health and connectivity across deployments
- Create detailed reports and real-time alerts for specified conditions
- Integrate device data through open APIs to gain deeper insights and control with third-party applications
- Report and alert on performance statistics, including connection history, signal quality, latency, data usage and packet loss

Built-in Security. Delivered.

- Secure boot: Programs and code running on the device are validated to be from an approved source or manufacturer
- Protected hardware ports: Internal and external I/O ports are hardened and access-controlled to prevent unwanted intrusion
- Authentication: Data authentication and device identity management options, with updated user and password settings
- Secure connections: Latest encryption protocols for data in motion and over-the-air (OTA) transmissions to ensure integrity
- **Ongoing monitoring and support:** Ongoing threat measurement and monitoring services, with external security audits



DIGI CONNECT IT 4 WITH DIGI 360 Specifications



Manage and configure Digi Connect IT 4 with Digi Remote Manager

| SPECIFICATIONS | DIGI CONNECT IT 4 WITH DIGI 360* |
|--------------------------|---|
| CELLULAR CONNECTIVITY** | |
| CELLULAR | Global LTE Cat 4 Digi CORE [®] plug-in LTE modem |
| MODULE SUPPORT | Digi CORE plug-in LTE modem |
| SOFTWARE AND MANAGEMENT* | |
| REMOTE MANAGEMENT | Digi Remote Manager (cloud based); SNMP v1/v2c/v3 (user installed/managed), SMS |
| LOCAL MANAGEMENT | Web Interface (HTTP/HTTPS); CLI (console, SSH) |
| NETWORK | |
| ETHERNET | (2) RJ-45; 10/100 Mbps (auto-sensing) |
| CONNECTORS | |
| SERIAL | (4) Serial ports RJ-45 RS-232 |
| PHYSICAL | |
| DIMENSIONS | 228 mm x 127 mm x 25 mm (9.0 in x 5.0 in x 1.0 in) |
| WEIGHT | 0.73 kg (26 oz) |
| STATUS LEDS | Power, online, LTE status, (5) signal strength and (2) SIM selection |
| POWER REQUIREMENTS | |
| POWER INPUT | 18 V DC, .66 A; 100-240 AC |
| ENVIRONMENTAL | |
| OPERATING TEMPERATURE | 0 °C to 40 °C (32 °F to 104 °F) |
| RELATIVE HUMIDITY | 5% to 95% (non-condensing) |
| APPROVALS** | |
| CELLULAR | Visit digi.com/resources/certifications for latest certifications and updates |
| SAFETY / SECURITY | IEC62368-1, CB, EN62311, FIPS 140-2 |
| EMISSIONS / IMMUNITY | CE; RED; FCC Part 15 Subpart B; CAN ICES-003 |
| WARRANTY*** | |
| PRODUCT WARRANTY | 3-year |

*Includes the Digi 360 solution for Digi Connect IT 4 (1-year) with Digi Remote Manager, warranty and customer care. **Visit digi.com/resources/certifications for latest approvals and updates.

| ENTERPRISE SOFTWARE | DESCRIPTION |
|---------------------|---|
| PROTOCOL SUPPORT | HTTP, HTTPS, FTP, SFTP, SSL, SNMP v3, SSH and CLI for web management; remote management via Digi Remote Manager ; SMS management |
| SECURITY / VPN | IP filtering, stateful inspection firewall with scripting, address and port translation; VPN: IPSec with IKEv1, IKEv2, NAT Traversal; SSL, SSLv2, SSLv3, FIPS 197; PPTP, L2TP; no limit VPN tunnels; Cryptology: SHA-1, SHA-2, MD5, RSA; Encryption: DES, 3DES and AES up to 256-bit (CBC mode for IPSec); Authentication: RADIUS, TACACS+, MAC address filtering; VLAN support |
| ROUTING / FAILOVER | IP pass-through; NAT, NAPT with IP port forwarding; Ethernet bridging; GRE; Multicast routing; Routing protocols: PPP, OSPF, BGP, RSTP (Rapid Spanning Tree Protocol); IP failover: VRRP, automatic failover/failback to secondary connection |
| OTHER PROTOCOLS | QoS via TOS/DSCP/WRED; UDP/TCP to serial |

*For a comprehensive list of operating system features, please visit digi.com/solutions/by-technology/dal-operating-system/features.



Product Photos

Digi Connect IT 4 Photos



Digi Connect IT 4 — front



Digi Connect IT 4 — back





Part Numbers

| PART NUMBERS | DIGI CONNECT IT 4 WITH DIGI 360* |
|---------------|---|
| 5402-RM00-GLB | Digi Connect IT 4 remote console access server, no cellular module, all regions |
| 5402-RMG4-GLB | Digi Connect IT 4 remote console access server; Cat 4 global |

*Includes Digi 360 solution for Digi Connect IT 4 (1-year) with Digi Remote Manager, warranty and customer care.

| PART NUMBERS | AVAILABLE ACCESSORIES*** |
|--------------|---|
| 76002112 | 18 V power supply with barrel jack connector |
| 500157 | Cable assembly passive PoE power injector white 2.1 mm barrel connector |
| 560083 | Temporary site survey battery pack, 9 V with 152.4 mm power lead, 2.1 mm barrel connector |
| 76002114 | (1) Cellular antenna — 5G/LTE 600 MHz to 6 GHz, swivel, black |
| 76000670 | Digi DB-25 male modem adapter (8-pack) |
| 76000671 | Digi DB-9 female console adapter (8-pack) |
| 76000672 | Digi DB-25 male console adapter (8-pack) |
| 76000673 | Digi DB-25 female console adapter (8-pack) |
| 76000702 | Digi DB-9 male modem adapter (8-pack) |

***Sold separately, unless otherwise noted.

| PART NUMBERS | DIGI CORE PLUG-IN LTE MODEM |
|---------------|---|
| 1002-CMG4-GLB | Digi CORE plug-in LTE modem; Global LTE Cat 4, 3G / 2G fallback |

| PART NUMBERS | DIGI 360 EXTENSIONS AND RENEWALS |
|----------------------|--|
| DIGI360-5402-EXT-2YR | Digi 360 extension for two additional years for Digi Connect IT 4 |
| DIGI360-5402-EXT-4YR | Digi 360 extension for four additional years for Digi Connect IT 4 |
| DIGI360-5402-REN-1YR | Digi 360 renewal for one additional year for Digi Connect IT 4 |
| DIGI360-5402-REN-3YR | Digi 360 renewal for three additional years for Digi Connect IT 4 |
| DIGI360-5402-REN-5YR | Digi 360 renewal for five additional years for Digi Connect IT 4 |

PART NUMBERS

VALUE-ADDED SERVICES

DIGI-RM-PRM-CS

Digi Containers subscription — 1-year subscription

For more information, please visit **digi.com**.



For more information about Digi Connect IT 4, visit **digi.com/connect-it-4**.

877-912-3444 | 952-912-3444

